

## Finishes, Cleaners, Paints and Varnishes

---

### *Wood/Fibreglass/Metal Cleaners and Paint/Varnish Removers*

#### **NEW Strip-It Green Marine Paint & Varnish Remover**

Contains no Methylene Chloride or caustics, it's odourless, and is easy to remove and apply, biodegradable, water based, safe for the user, engineered to lift several layers of paint and varnish in one application. 4 litre (Item **H3b**).

#### **Paint & Varnish Scraper**

Oval & triangular blade w. oak handle perfect for sanding between ribs, edges or uneven or curved surfaces. (Item **Nsp7**)

#### **Sanding Sponges & Pads**

##### **a. Fine grit sponge**

For use prior to final varnish or paint coat. Soak in water and it builds up into a nice foamy sanding pad with excellent results. (Item **Nsp8**)

**b. Ultra Fine Sanding Pad** for use with water on any surface to remove very fine scratches, sanding marks, particularly suited for varnish work. (Item **Nsp9**)

**Wood Cleaner (Item H1)** Two step process when used with our **Wood Brightener (Item H2)**. The Cleaner removes dirt and stains and the Brightener restores badly weathered (grey or blackened) wood revealing a 'like new' surface lustre. We've restored boats with these products to new factory look with only one or two applications. We recommend using a Stainless Steel Scrubber (Item **H4**) with the Cleaner. Use on all woods, especially oak and teak.

#### **Fibreglass Epifanes Prep-Cleaner**

Waxy residue should be removed by wiping surface with Prep-Cleaner to ensure optimum



adhesion for both primers & enamels (Item **H8c**).

#### **West Aluminum Etch Kit**

A two-step treatment for preparing aluminum surfaces for bonding with GFLEX epoxy. Adhesion is significantly improved with this process.

(Item **N1z1**)



#### **Abrasives**

Norton Garnet wet or dry sanding -new or old finishes: 9" x 11" sheets. Available in single, five packs or fifty:

# 80 dry (Item **Nsp1**);

# 120 dry (Item **Nsp2**);

# 180 dry (Item **Nsp3**);

# 240 (Item **Nsp4**);

Wet or Dry # 220 (Item **Nsp5**);

Wet or Dry # 320 (Item **Nsp6**).

**Hand Sanding Pad** for 9" x 11" sheets (Item **Nsp10**).

### *Wood, Fiberglass, and Metal Primers and Sealers*

#### **Epifanes Easy-Flow**

Designed primarily as a flow enhancer for varnish or paint, also

recommended as a wood sealer and rust-inhibitor (Item **N4d**).



#### **Epifanes Multi Marine Primer & Sealer**

Excellent adhesion to wood, aluminum, metal and bare or painted surfaces. High build, good filling and corrosion prevention. Use with one or two part paints (Item **N7**).



#### **Epifanes Werdol Wood Primer & Sealer**

Excellent grain filling and adhesion for subsequent one



## Finishes, Cleaners, Paints and Varnishes

---

part enamels. white or grey (Item N7b). Also recommended as a primer/sealer over our **Canvas Filler** (Item N6i) prior to final paint coats in wood/canvas canoe work. You will use less paint and have a hard and smooth professional look to the finish.

### **Epifanes Fiberglass Primer & Sealer**

Use on fiberglass or epoxy to improve paint adhesion. Also fills sanding marks, surface scratches. (Item N10pw).



Fibreglass and epoxy surfaces must be cleaned and degreased with **Epifanes Fibreglass Prep Cleaner** (Item N8c).

### **Epifanes Epigron** **Prelacquer Metal Primer A**

metal coating primer and under coater for steel and aluminum. High build-up with excellent adhesion for one part enamels and mono urethanes. (white) 750ml. (Item N8d).



## *Polishes & Rubbing Compounds*



### **'Ouator' Metal Polish**

Cleans, polishes, protects bronze, brass and chrome against tarnish, water stains and rust, keeps on working guaranteeing months of free maintenance. (Item H7).

### **Rubbing Compound & Finishing Kit for Paint, Fibreglass & Epoxy**

Easy 3 step process to deal with oxidized surfaces, removal of over spray & wet sanding scratches leaving a surface gloss and 'polished' look. The **Kit** includes a 946ml liquid rubbing compound; a 16 oz liquid finishing polish; 3 pk Swobbit Terry Towels and a 3pk Swobbit Flannel Polishing Cloths (Item H016).

**Rubbing Compound & Finishing Kit for Varnish** Varnish coatings are not as hard a finish as paints – they're flexible – thus a careful approach is required to remove over spray and sanding scratches. Kit includes selected wet sanding abrasives from #400 to #1200; 16 oz. Liquid Finishing Polish; a selection of Swobbit Terry Towels and Flannel Polishing Cloths (Item H1006).

### **Canoe/Kayak Performance Coating**

Reduced hull friction for easy paddling and increased speed. Coating provides UV protection, seals out dirt and gives a high gloss, showroom finish. 415 ml (Item H31pc).



## *Wood Fillers & Stains*

Formulated to match **Petit Fillers**. Used to fill and permanently stain porous grained wood. Light Mahogany (Item W7760); Dark Mahogany (H7665); Red Mahogany (Item H7666), Golden Walnut (Item H7680)

**Chris Craft Specialty Fillers & Stains Deep Red Mahogany** –Most Common for Chris Craft (Item H9603)

**Cordova** (sandy blonde) (Item H7749)-Most common for deck seams

**Dark Walnut** (Very dark, blackish brown) (Item H9803)

**Corina Blonde** (a strong yellow) (Item H9802)



The above can be thinned with **Epifanes**

## Finishes, Cleaners, Paints and Varnishes

---

**Brushing Thinner** (Item N8a) to the consistency of varnish and applied with a brush or cloth and, when dry, finished with **Epifanes Clear Varnish** (Item N2)

### *West System Fillers*

#### **Epifanes Fiberglass**

**Filler** Filler that mixes to a workable paste and hardens for a strong bond. White, 500 grams (Item Iffw).



#### **403 Microfibres**

Blended with epoxy. Creates an adhesive for bonding wood and gap filling. White (Item K1a).

**404 High-Density Filler** Use for hardware bonding, filleting and gap-filling (Item K2a).

**405 Filleting** For gluing joints and creating fillets that are smooth and require little sanding. Brown (Item K3).

**406 Colloidal Silica** When mixed with epoxy, prevents epoxy vertical & overhead runs. Ideal for bonding, filleting and has strong abrasion resistance. White (Item K4a)

**407 Low-Density Filler** When mixed with epoxy fill minor seams and cracks, makes fairing jobs easy to sand or carve. Dark brown. (Item K5a)

**410 Microlight™** When mixed with epoxy, makes a light, easily-worked fairing compound that is easy to sand, light tan (Item K6a).

#### **420 Aluminum Powder**

As an additive to epoxy, increases hardness and abrasion/moisture resistance. Cures to a metallic colour and may be used as a base for subsequent painting (Item K7a).



#### **422 Barrier Coat**

Designed to improve cured epoxy's moisture-exclusion effectiveness. Used as a barrier coating additive to help prevent gelcoat blistering in polyester fiberglass boat hulls. (Item K8).



#### **423 Graphite Powder**

Can be mixed with epoxy to produce a low-friction exterior coating with increased scuff resistance and durability. (Item K9a).



### *Bedding & Caulking Above & Below the Waterline*

#### **Sikaflex Adhesive & Sealant (291 Lot)**

Tack free 3 hs., full cure 5 days used above/below water line, caulks seams, keels, rub bands. Sandable, paintable, and also used for deck striping: white, black or mahogany (Item L1a-c).

#### **Sikaflex Adhesive & Sealant (291)**

Above or below waterline. Fast cure rate makes it ideal for boatyard or boat repair use; tack free in 1 hr., full cure 3 days; white or black. (Item L2a-b).

**Sikaflex Adhesive (292)** High strength adhesive, seals large gaps and can even replace rivets, screws and mechanical fasteners - white. (Item L5a).

**Sikaflex Deck Caulking (290)** A high UV resistant sealant for deck caulking

## Finishes, Cleaners, Paints and Varnishes

and waterproofing. (Item **L4a-b**).

**Sikaflex 295** Acrylic and glass ports and deck lights. Gives a strong bond while ensuring that thermal movements in glazing panels are absorbed without stress. (Item **L6a**).

### **Dolfinite “Type” Marine Bedding Compound**

Bedding keels, transoms, mouldings, shaft log and deck hardware. Stays flexible and strong in changing conditions and provides a long lasting waterproof seal. Can be varnished or painted over. (Item **L2005G**).



### **Davis “Slick Seam” Underwater Seam Compound**

Sticks to wet or dry surfaces, allows for flex, expansion, applies easily, cleans up fast, can be sanded & painted. Both of the previous items can be used with oakum or caulking fibre in new/old wood seam planking (Item **L13**).

**Red Lead Powder** A bright orange powder with strong preservative properties.

When mixed with linseed-oil putty it makes “red lead putty” for use as stopping in seams below the waterline on wooden craft. (Item **L5049**).



**White Lead Paste** A stiff white paste for luting joints in timber construction and bedding fittings. Linseed-oil or putty can be added to modify the consistency, and the light colour makes it the preferred stopping above waterline (Item **L5048**).



**Stockholm Tar** A strongly preservative thick liquid used to preserve natural



cordage and timber. Traditionally used to coat servings on rigging and is the substance added to oakum to stop it rotting (Item **L2809**).

### **Bristol Sussex Caulking**

**Cotton** Traditional style white cotton caulking # 1 grade 210 feet. (1/2kg) bags. (Item **L65**).



**Caulking Cotton** A white 8 strand cotton 5/16” (8mm) dia. used in transom work, planking & keels. (Item **L7**).



**Best Navy Oakum** Steeped in Stockholm tar used below the waterline, due to its high durability. (Item **L6**).

**Caulking Iron** Use with oakum and caulking cotton this tool will make the job easy. Size #00, blade width 2”, thickness 1/32” (Item **L9**)



## *Fibreglassing, Canvassing & Repairing*

### **Valene Coated**

**Fibreglass** Use with epoxy and polyester resin as a reinforcement to lay-up, repair or as a covering fabric for wood epoxy projects where high saturation and clear coatings are important. Sizes: 6 oz. x 60” (Item **M1a**) 6 oz. x 38” (Item **M1c**).



### **Glass Reinforcing Tape**

Reinforce hull-deck corners, boxes, seams, chines, keels and bulk heads. Gives strength to resist cracks and abrasions. 9 oz x 2” (Item **M3a**) 9 oz. x 4” (Item **M3b**)



**Kevlar Skid Plate Kit** protects Kevlar, fibreglass, ABS boats & canoes: Two pre-cut Kevlar felts (bow/stern stems), epoxy resin, gloves and instructions (Item **M8**).

## Finishes, Cleaners, Paints and Varnishes

---

**Kevlar Skid Plates** 32" x 3-1/2" and tapering to 2" sold by the set (Item **M8p**).

**Kevlar and Royalex Skid Plates** 38" x 6.5" tapering to 3" (Item **M8pl**)

**Canvas #10 Duck** (14.75 oz.) x 2 ply x 60". This will do most canoe jobs economically (add 2 ft. to length you are covering, e.g., a 16' canoe requires 6 yards. (Item **M4a**).



### **Canvas Webbing Pliers-**

The jaw acts as a lever for a strong pull. Durable and comfortable for the hand, this quality tool makes it easy for one person to stretch canvas and free the other hand for tacking (Item **M7**). (See also (Items **F5a**) Canoe Tacks & (Item **F13**) staples)

**Canvas Filler** an oil primer sealer with a high solid component for maximum build-up, penetration, flexibility that creates a strong, long-lasting bond. Excellent adhesion to canvas and the good news – no need to wait weeks for the filler to cure! Approximate cure time 72 hours. 4L container colour (white) (Item **M6i**). Instructions included. Recommended primer coat after the filler has cured use **Werdol Epifanes Primer** (Item **N7b**).

### **Kevlar, Fibreglass Canoe and Kayak Repair Kit**

Material to repair a fracture or puncture up to 8" wide x 12" long. Kit includes 12" x 16 1/2" Kevlar cloth, 12" x 38" 1 oz. Mat, Durekane resin/hardener and detailed instructions. (Item **M7-2**).

**ABS/Royalex Repair Kit** three 100 gram packages Royalex resin, 1 sq. ft Kevlar cloth and instructions. (Item **M9**).

**Royalex Repair Resin** a 2-part resin glue to fill gouges, scratches and major

repairs on Royalex/ABS hulls. 100 gram packets. (Item **M10**).

### *Specialty Glues, Epoxies & Applicators*

**Marine Resin Glue by Dural** easy to use wood powder glue, sands easily, water resistant and recommended for wood strip planking, laminating and joinery and other wood projects (Item **I1**).

### **Reusable Plastic Syringes**

use with the above – especially good for wood strip hull planking or epoxy resins for injecting into tight spots such as cracks, scratches or blister repair or hardware bonding. (Item **I2**).



### **West System G/5 Five-Minute**

**Adhesive** easy 2-part system for fast repairs, general bonding, holding parts in position, for wood, fibreglass and metal, cures in 3-5 minutes. 8 oz.(Item **IG-5**).

**West System G/flex 650** easy 2-part system to bond damp, resinous and exotic woods; aluminium, fibreglass and ABS canoes/kayaks repairs. Provides a tough waterproof bond. 8 oz.pk.(Item **Igflex**)

### **West System Six10 Adhesive**

Convenient cartridge (standard caulking gun). Bonds to wood, metal, fibreglass and masonry. Includes a Static Mixer for placing it exactly where it's needed in less time and no mess. 190ml. (Item **Isix10**)

### **Handy West Repair**

**Pack:** Small boat repairs. 2 pc x 16-grams 105 resin, 2 pc x 3.2-grams hardener, 3.5 grams filler, brush, mixer stick and instructions. (Item **I3**).



## Finishes, Cleaners, Paints and Varnishes

---

**Maxi West Repair Pack** same as above but larger. 6pc x 16-gram resin, 6pc x 3.2-gram hardener, 6 grams low density filler, 4 grams of high-density filler, 2 brushes, 1 syringe, 4 mix sticks, gloves, 4 cleaning pads, 4 mix cups and instruction(Item **I4**).

**West System Resin & Hardener Packs** pre-measured 6 pc -13.75ml of 105 resin and 6 pc -2.75ml of 205 fast hardener packets for minor repairs or coating jobs, instructions (Item **101T**). Packets-resin/hardener (Item **I101Tpk**).

### 105 Epoxy Resin

A clear, liquid resin to wet out and bond with wood, fibreglass and metals. Cures under wide temp ranges and can be sanded, shaped, varnished or painted Sizes:

**105B**-1 gal.(Item **I7**) **105A**-1qt. (Item **I6**)

**105C** - 4.35 gal. (Item **I8**).



**206 Slow Hardeners** Ideal for home builder - slow cure (10-15 hrs) rigid, strong, moisture resistant bond and coating.Sizes: **206B**-86qt. (Item **I10**) **206A**-.44pt. (Item **I9**) **206C**-.95gal. (Item **I11**)

### 205 Fast Hardener

A rapid cure in 6-8 hours – good for working in cool temperatures. Sizes: **205B**-86qt. (Item **I13**) **205A**-.44pt (Item **12**) .86 Qt. **205C**-.95 gal. (Item **I14**).

### 207 Special Hardener

A clear, moisture resistant natural wood finish. Resists clouding in humidity, won't drain on vertical surfaces, three coats or more can be applied in a day without surface prep between coats. (12-18 hr cure). Sizes: **207SB**-1.32 Qt (Item **I16**);. **207SA**-.66 Pt (Item **15**); **207SC**-1.45 gal (Item **I17**).

### Application Tools for Using Epoxy

The following lists tools for repairs and new work with Epoxy. You can also call us for free professional advice Toll-Free Help Line 1-800-588-4682.

### 300 Mini Pumps

Takes guesswork and mess out of measuring and mixing. Dispenses resin and hardeners in proportions and saves epoxy by preventing waste. (Item **J1c**).

**Epoxy Mini Roller and Tray** Designed for epoxy resins (Item **J4a**). Refills - tray & 2 rollers. (Item **J4b**).



### 803 Glue Brushes

½" x 6" glue brushes for small bonding and coating applications. (Item **J5**).

**Chip Resin Brushes** Pure bristle brushes to apply epoxy Sizes: 1" (Item **N65a**) or 3" (Item **N65**).

### Plastic Epoxy Spreaders

Flexible 3-1/2" x 6" spreaders for coating, fairing, filling, applying to fibreglass fabric. Reuseable. (Item **J6**).

**Disposable Gloves** Protection when using epoxy and more puncture resistant than conventional gloves. Large size fits most. (Item **NJ7a-c**).

### Specialty Wood Marine 'Spar' Varnishes by Epifanes

#### Clear Gloss Varnish

A durable UV high build gloss finish. Chinese tung oil with non-yellowing resins – a terrific varnish for all climates. Covers 150 sq.ft. (Item **N2** –1000ml) (Item **N2a** – 500ml). Item **N25** -5000ml) Use with either **Epifanes Brushing Thinner** (Item **N8a**)



# Finishes, Cleaners, Paints and Varnishes

or **Spray Thinner** (Item N8ab)

## Wood Finish Gloss

Excellent for oily woods, new teak and other exotic woods, provides a UV shield requiring no sanding between coats. Covers 130 sq. ft. (12 sq. metres). (Item N4 – 1000ml) and (Item N4a – 500ml)



## Rapid Clear

A semi-gloss finish for all woods with a high UV protective coating that bonds well to teak and other oily woods. Can be applied with no sanding between coats. Brush or spray. Covers 120 sq.ft. (Item N4b - 750ml)



## Rapidcoat

A semi-gloss finish with teak tint to highlight natural wood grain. Use on all woods including teak and other oily woods. High UV protection and optional sanding between coats. Spray or brush 750ml covers 120 sq.ft. (Item N4c)



## Wood Finish Matte



A UV protected satin sheen finish (non-reflective) for exterior or interior use, Resistant to moisture, chemicals and abrasion. Best results when applied over **Woodfinish Gloss** or **Clear Gloss Varnishes**. Spray or brush 750ml covers 150 sq.ft. (Item N5).

**Rubbed Effect Interior** Hand-rubbed finish, moisture, chemical and abrasion resistant. Best for interiors. Use **Clear Gloss** over bare wood and finish with above. covers 130 sq.ft. (Item N3).



## Teak Oil

One-component wood oil based on

linseed oil and alkyd resins. Used for the maintenance and protection of teak and other oily and/or resinous types of wood. 1000 ml. (Item N8bz).

## Hull and Deck Paint

## Yacht Enamel

Mirror-like gloss, longevity, surface hardness and flexibility prove it's the ultimate finish for wood, steel fibreglass & aluminum. 750ml tins in 49 colours.



Epifanes paints can be brushed or sprayed with the appropriate primers, sealers and thinners. For choosing paints see price list (Items NYE0 + chart #). Also available is



Epifanes Boatlakk/Yacht Enamel			
	wit	25	24
	1	26	210
	2	3	4
	216	212	18
	213	214	217
	206	28	7
	8	205	48
	30	9	31
	62	72	65
	21	16	23
	11	14	35
	12	13	19
	29	27	215
	40	27	215
	6	218	37
	33	34	aluminium

## Finishes, Cleaners, Paints and Varnishes

---

**Epifanes Monourethane**- one part paint enamel for use where extremely hard wear is anticipated. (Item N9 + chart #)

**Epifanes Non-Skid Deck Coating**  
Semi gloss with non-skid poly propylene beads for wood, steel, aluminum and fibreglass. Excellent colour retention, cleans easily and stands up to rough wear. Available in #1 Cream (Item N6bc); #212 Gray (Item N6bg) and White (Item N6bw).

**Polypropylene Beads**  
Pre-measured package for adding to 750 ml. tins of Epifanes paint enamel as an anti-skid surface. (Item N6d)



**Nautiforte**  
A high gloss, one part paint, long lasting gloss, weather durability for decks and high traffic areas. Use on wood, fibreglass, steel, aluminum with appropriate primers. 750ml covers 130 sq.ft. Available in White (Item N6cw); Oyster White (Item N6cow) and Off-white (Item Ncow).



**Chris Craft Type Bilge Paint**  
Formulated to resist dampness, oil, grease and prevent rot, available in traditional bilge colours as used in Chris Craft and classic runabouts. Deep Red Mahogany (Item N9606m), Gray (Item N9606g).

**Paint & Varnish Thinners**  
Pure white spirit for thinning one-part paints and varnishes.  
**Brush Thinner** 500ml (Item N8a); 1000ml. (Item N8ab) and **Spray Thinner** 1000 ml. (Item N8ab).



### *Brushes for Varnishes & Paints*

#### **Varnish & Paint Brushes**

Highest quality, European styled brushes with chiselled pure Chinese bristle. Each hair is split to produce optimum softness and are available in the following styles:



#### **a. Round Styles**

Great holding capacity and the chiselled shape ensures accurate paint spread. Sizes 3/8" (Item N10mm), 1 1/2" (Item N14mm)

**b. Full brush but with rounded edges.**  
Ideal for paint or varnish application. Sizes 1 1/2" (Item N50mm); 2" (Item N55mm); 2 1/4" (Item N60mm) and 2 1/2" (Item N65mm).

**c. Select Varnish & Enamel Brushes**  
An economical brush 60% polyester & 40 % bristle for smooth quality finishes with varnishes or enamels. 2" (Item N14)

**d. Disposable Foam Brushes:**  
Leaves no brush marks or falling bristles. Ideal for applying final paint or varnish coats. Sizes: 2" brush (Item N75) and 3" brush (Item N75a).

